### **Table REC-2. - Recreation**


Prince William County, Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.


Rating Class and Limiting Features  Very limited Depth to saturated zone  Not Rated  Somewhat limited Content of large stones	Value	Rating Class and Limiting Features  Very limited Depth to saturated zone  Not Rated  Somewhat limited Content of large	Value	Rating Class and Limiting Features  Very limited Depth to saturated zone Flooding  Not Rated	1.00 0.60
Not Rated  Somewhat limited Content of large	1 1.00	Very limited Depth to saturated zone  Not Rated  Somewhat limited Content of large	1.00	Very limited Depth to saturated zone Flooding Not Rated	1.00
Depth to saturated zone  Not Rated  Somewhat limited Content of large		Depth to saturated zone  Not Rated  Somewhat limited Content of large		Depth to saturated zone Flooding Not Rated	
Depth to saturated zone  Not Rated  Somewhat limited Content of large		Depth to saturated zone  Not Rated  Somewhat limited Content of large		Depth to saturated zone Flooding Not Rated	
zone  Not Rated  Somewhat limited Content of large		zone  Not Rated  Somewhat limited Content of large		zone Flooding Not Rated	
O Somewhat limited Content of large	0.68	Somewhat limited Content of large		Not Rated	0.60
O Somewhat limited Content of large	0.68	Somewhat limited Content of large			
Content of large	0.68	Content of large			
Content of large	0.68	Content of large			
9	0.68			Very limited	
		stones	0.68	Content of large stones	1.00
				Droughty	0.90
				Depth to cemented pan	0.74
O Somewhat limited		Somewhat limited		Very limited	
Content of large stones	0.50	Content of large stones	0.50	Content of large stones	1.00
				Droughty	0.57
O Somewhat limited		Somewhat limited		Very limited	
Content of large stones	0.68	Content of large stones	0.68	Content of large stones	1.00
					0.90
				pan	0.74
O Somewhat limited		Somewhat limited		Very limited	
Content of large stones	0.50	Content of large stones	0.50	Content of large stones	1.00
				Droughty	0.57
				Slope	0.37
O Computat limited		Computat limited		Vanclimitad	
	0.68		0.68		1.00
stones	0.00	stones	0.00		1.00
Slope	0.50			stones	
				Droughty	0.90
Somewhat limited		Somewhat limited		Very limited	
·		_	0.50		1.00
Content of large stones	0.50	3101103		stones	1.00
				Droughty	0.57
C	Somewhat limited Content of large stones  Somewhat limited Content of large stones Slope  Somewhat limited Slope Content of large	Somewhat limited Content of large stones  Content of large o.50 Content of large o.68 Somewhat limited Content of large o.50 Somewhat limited Slope o.50 Content of large o.50 Content of large o.50	Somewhat limited Content of large stones  Somewhat limited Content of large stones  Somewhat limited Content of large stones  Somewhat limited Content of large stones Slope  O Somewhat limited Slope Content of large Somewhat limited Slope Content of large Somewhat limited Somewhat limited Slope Content of large Somewhat limited Slope Content of large Somewhat limited Slope Content of large Somewhat limited Slope Somewhat limited Slope Somewhat limited Somewhat limited Slope Somewhat limited	Somewhat limited Content of large stones  Slope 0.50  Somewhat limited	stones stones broughty Depth to cemented pan  Discreption Somewhat limited Somewhat limited Content of large stones  Droughty Depth to cemented pan  Very limited Very limited Content of large stones  Droughty Slope  Somewhat limited Very limited Content of large stones Droughty  Depth to cemented pan  Very limited  Very limited Content of large stones Droughty  Depth to cemented pan  Droughty Slope  Content of large stones Droughty  Depth to cemented pan  Very limited Very limited Very limited Slope O.50 Content of large

Map Symbol and Soil Name	Pct of	Paths and Trails	S	Off-Road Motorcycle Trails	6	Golf Fairways	
and don Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
2E:	40	Many limited		Company to at limpitard		Mam. limeita d	
Airmont	40	Very limited Slope	1.00	Somewhat limited Slope	0.96	Very limited Slope	1.00
		Content of large stones	0.68	Content of large stones	0.68	Content of large stones	1.00
						Droughty	0.90
Weverton	40	Very limited		Somewhat limited		Very limited	
		Slope	1.00	Slope	0.96	Slope	1.00
		Content of large stones	0.50	Content of large stones	0.50	Content of large stones	1.00
						Droughty	0.57
3A:							
Albano	80	Very limited  Depth to saturated zone	1.00	Very limited  Depth to saturated zone	1.00	Very limited  Depth to saturated zone	1.00
4B:							
Arcola	80	Not limited		Not limited		Somewhat limited	
						Depth to bedrock	0.65
						Droughty	0.01
Albano	5	Not Rated		Not Rated		Not Rated	
5C:							
Arcola	50	Not limited		Not limited		Somewhat limited	
						Depth to bedrock	0.65
						Slope Droughty	0.37 0.01
						Dioagnty	0.01
Nestoria	30	Not limited		Not limited		Very limited	
						Depth to bedrock	1.00
						Droughty	1.00 0.37
						Slope	0.57
Albano	5	Not Rated		Not Rated		Not Rated	
5D:							
Arcola	50	Somewhat limited		Not limited		Very limited	
		Slope	0.50			Slope	1.00
						Depth to bedrock Droughty	0.65 0.01
							0.0.
Nestoria	30	Somewhat limited	_	Not limited		Very limited	
		Slope	0.50			Depth to bedrock	1.00
						Slope Droughty	1.00 1.00
						Diougnity	1.00
Albano	5	Not Rated		Not Rated		Not Rated	
6A:							

Map Symbol and Soil Name	Pct of	Paths and Trails	;	Off-Road Motorcycle Trails	5	Golf Fairways	
and Son Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
6A: Baile	75	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
7A: Bermudian	85	Not limited		Not limited		Somewhat limited Flooding	0.60
8C: Braddock	80	Not limited		Not limited		Somewhat limited Slope	0.37
9B: Brentsville	80	Not limited		Not limited		Somewhat limited Depth to bedrock	0.16
Albano	3	Not Rated		Not Rated		Not Rated	
9C: Brentsville	80	Not limited		Not limited		Somewhat limited Slope Depth to bedrock	0.37 0.16
Albano	3	Not Rated		Not Rated		Not Rated	
10B: Buckhall	80	Not limited		Not limited		Not limited	
10C: Buckhall	80	Not limited		Not limited		Somewhat limited Slope	0.37
11B: Calverton	80	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Very limited Depth to cemented pan Depth to saturated zone Droughty	1.00 0.75 0.11
12D: Catlett	80	Somewhat limited Slope	0.50	Not limited		Very limited Depth to bedrock Slope Droughty	1.00 1.00 1.00
Albano	3	Not Rated		Not Rated		Not Rated	
13B:							




Map Symbol	Pct of	Paths and Trails	3	Off-Road Motorcycle Trail	s	Golf Fairways	
and Soil Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
13B: Catlett	40	Not limited		Not limited		Very limited Depth to bedrock Droughty Gravel content	1.00 1.00 0.60
Sycoline	40	Not limited		Not limited		Somewhat limited Depth to bedrock Depth to saturated zone	0.21 0.03
Albano	3	Not Rated		Not Rated		Not Rated	
13C: Catlett	40	Not limited		Not limited		Very limited Depth to bedrock Droughty Gravel content	1.00 1.00 0.60
Sycoline	40	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope Depth to bedrock Depth to saturated zone	0.37 0.21 0.03
Albano	3	Not Rated		Not Rated		Not Rated	
14A: Codorus	85	Somewhat limited Depth to saturated zone Flooding	0.44 0.40	Somewhat limited Depth to saturated zone Flooding	0.44 0.40	Very limited Flooding Depth to saturated zone	1.00 0.75
Hatboro	5	Not Rated		Not Rated		Not Rated	
15A: Comus	85	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Hatboro	5	Not Rated		Not Rated		Not Rated	
16A: Delanco	80	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.48
Hatboro	5	Not Rated		Not Rated		Not Rated	
17A:							



Map Symbol and Soil Name	Pct of	Paths and Trails		Off-Road Motorcycle Trails	<b>3</b>	Golf Fairways	
and communic	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
17A:	00	Company had limited		Company that limpited		Company that lime it and	
Dulles	80	Somewhat limited  Depth to saturated zone	0.11	Somewhat limited  Depth to saturated zone	0.11	Somewhat limited  Depth to saturated zone	0.48
Albano	5	Not Rated		Not Rated		Not Rated	
18C: Dumfries	75	Not limited		Not limited		Somewhat limited Slope	0.37
18D: Dumfries	75	Somewhat limited	0.50	Not limited		Very limited Slope	1.00
18E:							
Dumfries	75	Very limited Slope	1.00	Somewhat limited Slope	0.96	Very limited Slope	1.00
19B:							
Elioak	80	Not limited		Not limited		Not limited	
Baile	3	Not Rated		Not Rated		Not Rated	
19C: Elioak	80	Not limited		Not limited		Somewhat limited	
						Slope	0.37
Baile	3	Not Rated		Not Rated		Not Rated	
20B:							
Elsinboro	80	Not limited		Not limited		Not limited	
Hatboro	3	Not Rated		Not Rated		Not Rated	
21B: Fairfax	80	Not limited		Not limited		Not limited	
21C:							
Fairfax	80	Not limited		Not limited		Somewhat limited Slope	0.37
22A:							
Featherstone	80	Very limited  Depth to saturated  zone  Ponding	1.00	Very limited  Depth to saturated zone  Ponding	1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
		Flooding	0.40	Flooding	0.40	Ponding	1.00
Ponded soils	5	Not Rated		Not Rated		Not Rated	
23C:							

Map Symbol	Pct of	Paths and Trails	5	Off-Road Motorcycle Trails	6	Golf Fairways	
and Soil Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
23C:							
Gaila	80	Not limited		Not limited		Somewhat limited Slope	0.37
23D:							
Gaila	80	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
23E:							
Gaila	80	Very limited Slope	1.00	Somewhat limited Slope	0.96	Very limited Slope	1.00
24B:							
Glenelg	45	Not limited		Not limited		Not limited	
Buckhall	35	Not limited		Not limited		Not limited	
24C:							
Glenelg	45	Not limited		Not limited		Somewhat limited Slope	0.37
Buckhall	35	Not limited		Not limited		Somewhat limited Slope	0.37
24D:							
Glenelg	45	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
Buckhall	35	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
25A:							
Glenville	80	Somewhat limited		Somewhat limited		Somewhat limited	
		Depth to saturated zone	0.11	Depth to saturated zone	0.11	Depth to cemented pan	0.97
						Depth to saturated zone	0.48
						Droughty	0.16
Baile	3	Not Rated		Not Rated		Not Rated	
26A:							
Hatboro	70	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Flooding Depth to saturated	1.00 1.00
		Flooding	0.40	Flooding	0.40	zone	
27A:							



Map Symbol and Soil Name  27A: Hatboro	of Map Unit	Rating Class and Limiting Features	Value	Motorcycle Trails		Rating Class and	
			Value				
	45			Limiting Features	Value	Limiting Features	Value
Hatboro	45						•
		Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Flooding	1.00
		Flooding	0.40	Flooding	0.40	Depth to saturated zone	1.00
Codorus	35	Somewhat limited		Somewhat limited		Very limited	
		Depth to saturated zone	0.44	Depth to saturated zone	0.44	Flooding Depth to saturated	1.00 0.75
		Flooding	0.40	Flooding	0.40	zone	0.75
28B:							
Haymarket	80	Not limited		Not limited		Not limited	
28C:							
Haymarket	80	Very limited		Very limited		Somewhat limited	
		Water erosion	1.00	Water erosion	1.00	Slope	0.37
29B:							
Hoadly	80	Very limited	4.00	Very limited	4.00	Very limited	4.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
						Depth to cemented pan	0.54
30B:							
Jackland	80	Somewhat limited		Somewhat limited		Somewhat limited	
		Depth to saturated zone	0.44	Depth to saturated zone	0.44	Depth to saturated zone	0.75
31B:							
Jackland	50	Somewhat limited		Somewhat limited		Somewhat limited	
		Depth to saturated zone	0.44	Depth to saturated zone	0.44	Depth to saturated zone	0.75
Haymarket	30	Not limited		Not limited		Not limited	
31C:							
Jackland	50	Somewhat limited		Somewhat limited		Somewhat limited	
		Depth to saturated zone	0.44	Depth to saturated zone	0.44	Depth to saturated zone	0.75
						Slope	0.37
Haymarket	30	Very limited		Very limited		Somewhat limited	
		Water erosion	1.00	Water erosion	1.00	Slope	0.37
32A:							
Kelly	80	Not limited		Not limited		Somewhat limited	
						Depth to saturated zone	0.19
33B:							

		Paths and Trails		Off-Road		Golf Fairways	
Map Symbol and Soil Name	Pct of			Motorcycle Trail	ails		
and Son Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
33B:							
Legore	50	Not limited		Not limited		Not limited	
Oakhill	30	Not limited		Not limited		Somewhat limited	
						Droughty	0.69
						Gravel content	0.26
						Depth to bedrock	0.16
33C:							
Legore	50	Not limited		Not limited		Somewhat limited	0.07
						Slope	0.37
Oakhill	30	Not limited		Not limited		Somewhat limited	
						Droughty	0.69
						Slope Gravel content	0.37 0.26
						Graver content	0.20
33D:							
Legore	50	Somewhat limited	0.50	Not limited		Very limited	4.00
		Slope	0.50			Slope	1.00
Oakhill	30	Somewhat limited		Not limited		Very limited	
		Slope	0.50			Slope	1.00
						Droughty Gravel content	0.69 0.26
						Craver content	0.20
34B:	0.0	AL CENTRAL		NI CE SI I		NI CE SCI	
Lunt	80	Not limited		Not limited		Not limited	
34C:							
Lunt	80	Not limited		Not limited		Somewhat limited	
						Slope	0.37
34D:							
Lunt	75	Somewhat limited		Not limited		Very limited	
		Slope	0.50			Slope	1.00
35B:							
Manassas	85	Not limited		Not limited		Not limited	
Albano	3	Not Rated		Not Rated		Not Rated	
Alballo	3	Not Rated		Not Rated		Not Rated	
36D:							
Marr	80	Somewhat limited		Not limited		Very limited	
		Slope	0.02			Slope	1.00
36E:							
Marr	80	Very limited		Somewhat limited		Very limited	
		Slope	1.00	Slope	0.78	Slope	1.00
37A:							


Map Symbol	Pct of	Paths and Trails		Off-Road Motorcycle Trails	3	Golf Fairways	
and Soil Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
37A: Marumsco	85	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
38B: Meadowville	80	Not limited		Not limited		Not limited	
Baile	3	Not Rated		Not Rated		Not Rated	
39B3:							
Minnieville	80	Not limited		Not limited		Not limited	
39C3: Minnieville	80	Not limited		Not limited		Somewhat limited Slope	0.37
40B: Montalto	80	Not limited		Not limited		Not limited	
40C: Montalto	80	Not limited		Not limited		Somewhat limited	0.37
41B: Neabsco	80	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Very limited  Depth to cemented pan  Depth to saturated zone  Droughty	1.00 0.48 0.18
41C: Neabsco	80	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Very limited  Depth to cemented pan  Depth to saturated zone  Slope	1.00 0.48 0.37
42B: Neabsco	45	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Very limited Depth to cemented pan Depth to saturated zone Droughty	1.00 0.48 0.18
Quantico	35	Not limited		Not limited		Not limited	
43D:							

Prince William County, Virginia

Map Symbol	Pct of	Paths and Trail	s	Off-Road Motorcycle Trails	5	Golf Fairways	
and Soil Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
43D:							<u> </u>
Nestoria	80	Somewhat limited		Not limited		Very limited	
		Slope	0.02			Depth to bedrock	1.00
						Droughty Slope	1.00 1.00
Albano	3	Not Rated		Not Rated		Not Rated	
43E:							
Nestoria	80	Very limited		Somewhat limited		Very limited	
		Slope	1.00	Slope	0.96	Depth to bedrock	1.00
						Slope	1.00
						Droughty	1.00
44D:							
Occoquan	80	Somewhat limited		Not limited		Very limited	
		Slope	0.02			Slope	1.00
						Droughty	0.02
44E:							
Occoquan	80	Very limited		Somewhat limited		Very limited	
		Slope	1.00	Slope	0.96	Slope Droughty	1.00 0.02
45C:							
Orenda	75	Not limited		Not limited		Somewhat limited	
						Slope	0.37
46B:							
Panorama	75	Not limited		Not limited		Not limited	
Albano	5	Not Rated		Not Rated		Not Rated	
46C:							
Panorama	75	Very limited		Very limited		Somewhat limited	
		Water erosion	1.00	Water erosion	1.00	Slope	0.37
Albano	5	Not Rated		Not Rated		Not Rated	
47B:							
Quantico	75	Not limited		Not limited		Not limited	
47C:							
Quantico	75	Not limited		Not limited		Somewhat limited Slope	0.37
47D:						J. J	3.07
Quantico	75	Somewhat limited		Not limited		Very limited	
Quantico	73	Slope	0.50	NOT IIIIIILEU		Slope	1.00
180.							
48A:							

Distribution Generation Date: 1/13/03

Map Symbol	Pct of	Paths and Trails	•	Off-Road Motorcycle Trails		Golf Fairways	
and Soil Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
48A:	I						
Reaville	80	Somewhat limited		Somewhat limited		Somewhat limited	
		Depth to saturated zone	0.11	Depth to saturated zone	0.11	Depth to saturated zone	0.48
		200		20.10		Depth to bedrock	0.46
						Droughty	<0.01
Albano	3	Not Rated		Not Rated		Not Rated	
49A:							
Rowland	80	Somewhat limited		Somewhat limited		Very limited	
		Flooding	0.40	Flooding	0.40	Flooding Depth to saturated zone	1.00 0.19
50D:							
Spriggs	80	Very limited		Very limited		Very limited	
		Water erosion	1.00	Water erosion	1.00	Slope	1.00
		Slope	0.50			Depth to bedrock	0.29
50E:							
Spriggs	80	Very limited		Very limited		Very limited	
		Slope	1.00	Water erosion	1.00	Slope	1.00
		Water erosion	1.00	Slope	0.96	Depth to bedrock	0.29
51D:							
Stumptown	80	Somewhat limited		Somewhat limited		Very limited	
		Content of large stones	0.50	Content of large stones	0.50	Content of large stones	1.00
		Slope	0.02	Stories		Droughty	1.00
		•				Slope	1.00
51E:							
Stumptown	80	Very limited		Somewhat limited		Very limited	
		Slope	1.00	Slope	0.96	Slope	1.00
		Content of large stones	0.50	Content of large stones	0.50	Content of large stones	1.00
		Stories		Stories		Droughty	1.00
52B:							
Sudley	50	Not limited		Not limited		Not limited	
Oatlands	30	Not limited		Not limited		Somewhat limited	
						Depth to bedrock	0.06
						Droughty	0.01
Albano	3	Not Rated		Not Rated		Not Rated	
52C:							
Sudley	50	Very limited		Very limited		Somewhat limited	
		Water erosion	1.00	Water erosion	1.00	Slope	0.37



Prince William County, Virginia

Map Symbol and Soil Name	Pct of	Paths and Trails	3	Off-Road Motorcycle Trails	6	Golf Fairways	
and con Hame	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
52C:		•					
Oatlands	30	Not limited		Not limited		Somewhat limited	
						Slope	0.37
						Depth to bedrock	0.06
						Droughty	0.01
Albano	3	Not Rated		Not Rated		Not Rated	
53B:							
Sycoline	50	Not limited		Not limited		Somewhat limited	
						Depth to bedrock	0.65
						Depth to saturated zone	0.03
Kelly	30	Not limited		Not limited		Somewhat limited	
·						Depth to saturated zone	0.19
53C:							
Sycoline	50	Very limited		Very limited		Somewhat limited	
		Water erosion	1.00	Water erosion	1.00	Depth to bedrock	0.65
						Slope	0.37
						Depth to saturated zone	0.03
Kelly	30	Not limited		Not limited		Somewhat limited	
·						Depth to saturated zone	0.19
54B:							
Urban land	50	Not Rated		Not Rated		Not Rated	
Udorthents	40	Not Rated		Not Rated		Not Rated	
55D:							
Watt	80	Somewhat limited		Not limited		Very limited	
		Slope	0.50			Slope	1.00
						Droughty	0.91
						Depth to bedrock	0.54
55E:	90	Varylimited		Somewhat limited		Vary limited	
Watt	80	Very limited	1.00	Somewnat limited Slope	0.96	Very limited Slope	1.00
		Slope	1.00	Slope	0.90	Droughty	0.91
						Depth to bedrock	0.54
56A:							
Waxpool	80	Very limited		Very limited		Very limited	
	30	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
NS:							

Distribution Generation Date: 1/13/03

Map Symbol and Soil Name	Pct of	Paths and Trails		Off-Road Motorcycle Trails		Golf Fairways	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
NS:							
Not surveyed	100	Not Rated		Not Rated		Not Rated	
W:							
Water	100	Not Rated		Not Rated		Not Rated	